Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

MAXI BLUE

SECTION I: IDENTIFICATION

JCC Chemical Corp. P.O. Box 4519 Carolina, P.R. 00984-4519 Emergency Telephone Number: 1-800-535-5035 Telephone Number for Information: 787-200-4164

Product Name: Maxi Blue Product Use: Surface Preperation - Mixture

SECTION II: HAZARD IDENTIFICATION

Signal Word: WARNING

Hazard Classification:

- Corrosive to Metals, Catagory 1
- Acute Toxicity, Oral, Catagory 4
- Serious Eye Damage/Irritation, Catagory 2B
- Specific Organ Toxicity, Single Exposure, Catagory 2

Hazard Statements:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H371 May cause damage to organs. (Kindney)

Precautionary Statements:

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P270 Do no eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
- lenses, if present and easy to do. Continue rinsing.
- P307 + P311 IF exposed: Call a POISON CENTER or doctor/physician.
- P330 Rinse mouth.

P405 – Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

SECTION III: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components: Hydrochloric Acid **CAS No.** 7647-01-0 Percentage % 8-12%



Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION IV – FIRST AID MEASURES

General Information: Immediately remove any clothing soiled by the product and launder before reuse. **After inhalation:** Remove to fresh air immediatly. If breathing difficulty continues, **Get Medical Help.**

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Flush thoroughly with water for 15 minutes, lifting both eyelids. If irritation persists, Get Medical Help.

After ingestion: DO NOT INDUCE VOMITING. Drink two glasses of water and Get Immediate Medical Help. Never give anything by mouth to an unconcious person.

Most Important Symptoms and Effects: Acute: Ingestion

Delayed: Eyes, Inhalation

SECTION V – FIRE AND EXPLOSION HAZARD DATA

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media: None known

Fire Hazard: Non-Flammable

Explosion Hazard: None

Reactivity: Reactions with aluminum, particularly foil, may generate flammable hydrogen gas.

Products of Combustion: Not Applicable

Special Hazards Arising from the Substance or Mixture: No further relevant information available. **Special Remarks and Advice for Firefighters:** Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear protective equipment (See section VIII). Keep unprotected persons away.

Methods and material for containment and cleaning up:

Spill Response: Absorb with liquid-binding material (sand, diatomite, and universal binders.) Use neutralizing agent.

Waste Disposal: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Environmental precautions: Do not allow to enter sewers.

Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Handling

Precautions for safe handling: Ensure good ventilation. Avoid contact with aluminum and other metals. Reactions with aluminum, particularly foil, may generate flammable hydrogen gas. Use, store and transfer only with acid resistant plastic containers, DO NOT USE aluminum or any other metal container. **Additional Hazards:** None.

Hygiene Measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Storage

Storage Conditions: Keep container tightly sealed.

Storage Area: No special requirements.

Incompatible Products and Materials: Avoid contact with aluminum and other metals. Reactions with aluminum, particularly foil, may generate flammable hydrogen gas.

SECTION VIII – EXPOSURE CONTROL MEASURES

Exposure Limits:

CAS 7647-011-1 Hydrochloric Acid PEL 5 ppm / 7 mg/m³ (ceiling) TVL 2 ppm / 3 mg/m³ (ceiling)

Appropriate Engineering Controls: Use local ventilation

Personal Protective Equipment:



Hand: Protective Gloves - Wear gloves of adequate length to offer appropriate skin protection from splashes. Nitrile, Butyl and PVC gloves have been found to offer adequate protection for incidental contact. **Eye:** Safety Glasses

Skin and Body: Non-absorpive boots. Respiratory: None required.

Additional Information: None

Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION IX – PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance	Form: Liquid
	Color: Blue
	Odor: Cherry
pH-value:	1-2
Boiling Point/Boiling Range:	~212°F/100°C
Freezing Point:	NE
Flash Point:	None
Auto Igniting:	Product is not self-igniting.
Vapor Pressure:	NE
Vapor Density:	1.12 - 1.30 g/cm ³
Viscosity:	NA
Solubility:	Soluble
Evaporation Rate:	NE
Flammability:	Non-flammable
Decomposition Temperature:	NE

SECTION X – REACTIVITY DATA

Conditions to be avoided: No decomposition if used according to specifications. **Incompatible materials:** Bases, amines, alkali metals, metals - especially aluminum, permanganates, Fluorine, metal acetylides, hexalithium disilicide, and bleach.

Hazardous Decomposition Products: No dangerous decomposition products known

Reactivity: Reacts with aluminum.

Chemical Stability: Stable

Possibility of Hazardous Reactions: None known.

SECTION XI – TOXICOLOGICAL INFORMATION

Acute toxicity: LD-50 Oral, rabbbit, 900mg/m³

Likely Route of Exposure: Skin

Exposure Symptoms:

Eyes: Can cause severe irritation and eye damage.

Skin: Irritation and possible burns. May cause allergic reaction with some people. Avoid repeated contact.

Inhalation: Caughing, sore throat, shortness of breath, irritation of mucous membrane.

Ingestion: Sore throat, abdominal pain, burning. May cause kidney damage.

Effects (Short-term, Long-term):

Immediate: Eye irritation Delayed: Skin irritation Chronic: NE

Carcinogenicity: No **Sensitization:** No sensitizing effects known.

P.O. Box 4519 • Carolina, P.R. 00984-4519

Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard (HCS), 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION XII - ECOLOGICAL INFORMATION

Aquatic toxicity: No further relevant information available.

Persistence and Degradability: No further relevant information available.

Behavior in Environmental Systems: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized. Other Adverse Effects:

SECTION XIII - DISPOSAL CONSIDERATIONS

Recommendation: Do not allow product to reach waterways or storm sewers. Disposal must be made in accordance with local, state and federal regulations.

Recommended Cleansing Agent: Water.

Additional Information: Refer to Section 8

SECTION XIV – TRANSPORT INFORMATION

UN-Number: UN Proper Shipping Name: Transport Hazard Class: Packing Group: Environmental Hazards:

Additional Information:

Special Precautions for User:

1760 Hydrochloric Acid 8 Corrosive substances III None - Not a marine pollutant.

ORM-D Ground Transportation Only for Containers of 5L or less. Warning: Corrosive Substances



ORM-D

SECTION XV - OTHER REGULATORY INFORMATION

NFPA Ratings (Scale 0-4)



Health: I Fire: I* Reactivity: 2

*Material is nonflammable, however reactions may liberate flammable hydrogen gas

SECTION XVI - OTHER INFORMATION

Last Updated: 6/1/2015

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products. End of SDS.

P.O. Box 4519 • Carolina, P.R. 00984-4519