## Safety Data Sheet C-57

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/06/2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : SUPREME MINT GIANT BOWL CLEANER

Product code : C-57

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

JCC CHEMICAL P.O. Box 4519 CARILINA, PR 00984

T 787-633-2915 - F 787-257-4895

#### 1.4. Emergency telephone number

Emergency number : CHEM TEL 800-255-3924

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

 Skin Corr. 1B
 H314

 Eye Dam. 1
 H318

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labelling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes severe skin burns and eye damage

Causes serious eye damage

Precautionary statements (GHS-US) : Do not breathe spray, mist, vapours

Wash hands thoroughly after handling Wear eye protection, protective gloves

If swallowed: rinse mouth. Do NOT induce vomiting

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a doctor

Specific treatment (see first aid section on this label. on this label)

Wash contaminated clothing before reuse

Store locked up

Dispose of contents/container to an approved waste disposal plant

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

### SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

06/29/2015 EN (English) SDS ID: C-57 Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
phosphoric acid	(CAS No) 7664-38-2	12 - 15	Skin Corr. 1B, H314
hydrochloric acid	(CAS No) 7647-01-0	9 - 9.9	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
oxalic acid	(CAS No) 144-62-7	2 - 4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
Varonic T 202 SR ETHOMEEN T/15	(CAS No) 61791-26-2	2 - 4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Corrosive vapours.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

06/29/2015 EN (English) SDS ID: C-57 2/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not breathe vapours, spray, mist.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

SUPREME MINT GIANT BOWL CLEANER	
ACGIH	Not applicable
OSHA	Not applicable

phosphoric acid (7664-38-2)		
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³

oxalic acid (144-62-7)		
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
ACGIH	ACGIH STEL (mg/m³)	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³

hydrochloric acid (7647-01-0)		
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (Ceiling) (mg/m³)	7 mg/m³
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm

Varonic T 202 SR ETHOMEEN T/15 (61791-26-2)	
ACGIH	Not applicable
OSHA	Not applicable

#### 8.2. Exposure controls

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

06/29/2015 EN (English) SDS ID: C-57 3/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Green
Odour : mint

Odour threshold : No data available

pH : < 2

Melting point : No data available No data available Freezing point Boiling point No data available Flash point No data available Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) : No data available Explosive limits No data available No data available Explosive properties : No data available Oxidising properties Vapour pressure No data available Relative density : No data available Relative vapour density at 20 °C : No data available

Solubility : Water: Solubility in water of component(s) of the mixture :

• phosphoric acid: Complete • oxalic acid: 10 g/100ml • hydrochloric acid: Complete

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive vapours.

### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

phosphoric acid (7664-38-2)	
LD50 oral rat	4400 mg/kg (Rat)
ATE US (oral)	4400.000 mg/kg bodyweight

06/29/2015 EN (English) SDS ID: C-57 4/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

oxalic acid (144-62-7)	
ATE US (oral)	500.000 mg/kg bodyweight
ATE US (dermal)	1100.000 mg/kg bodyweight

Varonic T 202 SR ETHOMEEN T/15 (61791-26-2)	
LD50 oral rat	500 mg/kg (Rat)
ATE US (oral)	500.000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: < 2

Serious eye damage/irritation : Causes serious eye damage.

pH: < 2

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

hydrochloric acid (7647-01-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after eye contact : Causes serious eye damage.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

phosphoric acid (7664-38-2)		
LC50 fish 1	138 mg/l (LC50)	
oxalic acid (144-62-7)		
LC50 fish 1	34.1 mg/l (LC50; 96 h; Pimephales promelas)	
EC50 Daphnia 1	137 mg/l (EC50; 48 h)	
hydrochloric acid (7647-01-0)		
LC50 fish 1	282 mg/l (LC50; 96 h)	
EC50 Daphnia 1	< 56 mg/l (EC50; 72 h)	

## 12.2. Persistence and degradability

SUPREME MINT GIANT BOWL CLEANER		
Persistence and degradability	Not established.	
phosphoric acid (7664-38-2)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
oxalic acid (144-62-7)		
Persistence and degradability	Readily biodegradable in water. Readily biodegradable in water in anaerobic conditions. Photolysis in water. Biodegradable in the soil. Photolysis in the air. Not established.	
Biochemical oxygen demand (BOD)	0.14 g O₂/g substance	
Chemical oxygen demand (COD)	0.18 g O₂/g substance	

06/29/2015 EN (English) SDS ID: C-57 5/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

oxalic acid (144-62-7)		
ThOD	0.18 g O₂/g substance	
hydrochloric acid (7647-01-0)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
Varonic T 202 SR ETHOMEEN T/15 (61791-26-2)		
Persistence and degradability	Not readily biodegradable in water. Not established.	

#### 12.3. Bioaccumulative potential

•		
SUPREME MINT GIANT BOWL CLEANER		
Bioaccumulative potential	Not established.	
phosphoric acid (7664-38-2)		
Log Pow	-0.77 (Estimated value)	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.	
oxalic acid (144-62-7)		
Log Pow	-2.221.74 (Estimated value)	
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.	
hydrochloric acid (7647-01-0)		
Log Pow	0.3	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Varonic T 202 SR ETHOMEEN T/15 (61791-26-2)		
Bioaccumulative potential	Not established.	

### 12.4. Mobility in soil

hydrochloric acid (7647-01-0)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

#### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1789 Hydrochloric acid, 8, II


UN-No.(DOT) : UN1789

Proper Shipping Name (DOT) : Hydrochloric acid

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive

LTD QTY - Limited quantity



Packing group (DOT) : II - Medium Danger

DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Packaging Exceptions (49 CFR 173.xxx) : 154

06/29/2015 EN (English) SDS ID: C-57 6/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 8 - Glass carboys not permitted on passenger vessels

**Additional information** 

Other information : No supplementary information available.

**ADR** 

No additional information available

Transport by sea

UN-No. (IMDG) : 1789

Proper Shipping Name (IMDG) : HYDROCHLORIC ACID
Class (IMDG) : 8 - Corrosive substances

Packing group (IMDG) : III - substances presenting low danger

Air transport

les calmentals les et a

UN-No. (IATA) : 1789

Proper Shipping Name (IATA) : Hydrochloric acid
Class (IATA) : 8 - Corrosives
Packing group (IATA) : III - Minor Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### SUPREME MINT GIANT BOWL CLEANER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

0 4 0 N - 70 47 04 0

nydrochioric acid	CAS No 7647-01-0	9 - 9.9		
phosphoric acid (7664-38-2)				
Not listed on the United States SARA Section 313				
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb			
hydrochloric acid (7647-01-0)				
Not listed on the United States SARA Section 313				

nydrochioric acid (7647-01-0)		
Not listed on the United States SARA Section 313 Listed on United States SARA Section 313		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	

#### 15.2. International regulations

#### **CANADA**

No additional information available

### **EU-Regulations**

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

06/29/2015 EN (English) SDS ID: C-57 7/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### phosphoric acid (7664-38-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### oxalic acid (144-62-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### hydrochloric acid (7647-01-0)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

#### Full text of H-phrases:

At of the philaded.		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category  1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	


NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with

some release of energy, but not violently.



06/29/2015 EN (English) SDS ID: C-57 8/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.

06/29/2015 EN (English) SDS ID: C-57 9/9