SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Aer-O-Matic

Other means of identification Not available

Recommended use Condensate drain pan treatment

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name JCC CHEMICAL, CORP.

Address PO BOX 4519

CAROLINA, PR 00984-4519

United States

Telephone 787-200-4164

E-mail customerservices@jccchemical.com

Emergency phone number Medical: 800-228-5635

Chemtrac: 800-424-9300 Chemtrac Int'l: 703-527-3887

2. Hazards Identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Specific treatment (see this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

If swallowed: Call a poison center/doctor/physician if you feel unwell. Rinse mouth.

Storage Not applicable.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 0.27% of the mixture consists of component(s) of unknown acute oral toxicity.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	40

Page: 1 of 7 Issue date 26-March-2015

Chemical name	Common name and synonyms	CAS number	%		
Benzyl-C12-18-alkyldimethyl ammonium chlorides		68391-01-5	21.6		
	4. First Aid Measures				
Inhalation	If inhaled: Remove person to fresh air and keep	comfortable for breat	hing.		
Skin contact	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.				
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.				
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting.				
Most important symptoms/effects, acute and delayed	Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.				
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.				
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).				
	5. Fire Fighting Measures	<u> </u>			
Suitable extinguishing media	Water spray. Fog. Foam. Dry chemical powder.	Carbon dioxide (CO2).		
Unsuitable extinguishing media	None known.				
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.				
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray.				
Specific methods	Cool containers exposed to flames with water until well after the fire is out.				
General fire hazards	No unusual fire or explosion hazards noted.				
	6. Accidental Release Measu	ires			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.				
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.				
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.				
	7. Handling and Storage				
Precautions for safe handling	Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.				
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store away from i SDS).	ncompatible materials	s (see Section 10 of the		
	8. Exposure Controls/Personal Pr	otection			
Occupational exposure limits					
	nmental Exposure Level (WEEL) Guides Type	Value	Form		
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.		
Biological limit values	No biological exposure limits noted for the ingre	dient(s).			
- Clogical mint values	Sising sac supposers mine notice for the high	۵.۵.۱۰(۵)،			

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Wash hands after handling and before eating.

9. Physical and Chemical Properties

Appearance Crystalline.

Physical state Solid.

Form Solid. Tablets
Color Various
Odor Fresh

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Pour point Not available.

Specific gravity 0.981

Partition coefficient (n-octanol/water)

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies) 100 %

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

10. Stability and Reactivity

Reactivity Do not mix with other chemicals.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Page: 3 of 7 Issue date 26-March-2015

11. Toxicological Information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Prolonged inhalation may be harmful. May cause irritation to the respiratory system. Inhalation Not corrosive to skin based on in-vitro test data (OECD Guideline 435 - Corrositex®). Skin contact

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Species Components **Test Results**

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5)

Dermal

LD50 Rat 2000 mg/kg

1420 mg/kg

Inhalation

LC50 Not available

Oral LD50

Mouse 150 mg/kg

> Rat 240 mg/kg

Urea (CAS 57-13-6)

Acute

Dermal

LD50 Rabbit 21000 mg/kg

Inhalation

LC50 Not available

Oral

LD50 Cattle 510 mg/kg Mouse 11000 mg/kg

Rat 8471 mg/kg

Sheep 510 mg/kg

Skin corrosion/irritation Not corrosive to skin based on in-vitro test data (OECD Guideline 435 - Corrositex®).

Exposure minutes Not available. Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Not available. Corneal opacity value Not available. Iris lesion value Conjunctival reddening

value

Not available.

Conjunctival oedema value

Not available. Not available. Recover days

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization Not applicable.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful.

Further information

Not available.

12. Ecological Information

Ecotoxicity	See belov	See below			
Components		Species	Test Results		
Urea (CAS 57-13-6)					
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours		
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours		
Fish	LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours		

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Page: 5 of 7 Issue date 26-March-2015

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations See below

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Minnesota Haz Subs: Listed substance

Urea (CAS 57-13-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Benzyl-C12-18-alkyldimethyl ammonium chlorides Listed.

(CAS 68391-01-5) Urea (CAS 57-13-6)

Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

Country(s) or region Inventory name

On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information







Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 26-March-2015

Page: 6 of 7 Issue date 26-March-2015

Further information

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).